


### Specifications

Model No.	MDP150/50HD
Voltage	230V~50Hz
Input power	520W
No-load speed	2950min <sup>-1</sup>
Wheel size	Φ150×25×Φ32mm
Wire size	Φ150×20×Φ12.7mm
Buffer wheel	Φ150×20×Φ12.7mm
Blet size	50×1000mm
N.W./G.W.	20/22Kg
Packing Size	570×300×260mm
20"container	680pcs
Approvals	GS/CE/EMC

### Feature

- High powered induction motor, longer life.
- Cast aluminum belt guard, strong construction, professional design.
- Cast aluminum driving wheel and driven wheel. Driving wheel rubber coated
- More easy and convenient to change and adjust belt.
- With dust extract hole.
- Attached shaft is for mounting polishing cloth wheel or wire brush wheel.
- Belt guard 0°~90° adjustable.



### Specifications

Model No.	MDP200/100HD
voltage	230V~50Hz
Input power	900W
No-load speed	2950min <sup>-1</sup>
Wheel size	Φ200×32×Φ32mm
Wire size	Φ200×20×Φ12.7mm
Buffer wheel	Φ200×20×Φ12.7mm
Blet size	100×1000mm
N.W./G.W.	32.5/35.5Kg
Packing Size	610×482×325mm
20"container	315pcs
Approvals	GS/CE/EMC

### Feature

- High powered induction motor, longer life.
- Cast aluminum belt guard, strong construction, professional design.
- Cast aluminum driving wheel and driven wheel. Driving wheel rubber coated
- More easy and convenient to change and adjust belt.
- With dust extract hole.
- Attached shaft is for mounting polishing cloth wheel or wire brush wheel.
- Belt guard 0°~90° adjustable.

**MD3215HD**  
**MD3217HD**

Model No. Power Wheel Dia.  
MD3215HD 520W  $\phi$  150mm  
MD3217HD 520W  $\phi$  175mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215HD	230V-50Hz	520W	2950min <sup>-1</sup>	$\phi$ 150x25x $\phi$ 32mm	--	--	16/18kg	471x261x254mm	20GP/865pcs 40GP/1688pcs
MD3217HD	230V-50Hz	520W	2950min <sup>-1</sup>	$\phi$ 175x25x $\phi$ 32mm	--	--	18/20kg	471x261x254mm	20GP/865pcs 40GP/1688pcs



**MD3220HD-W**

Model No. Power Wheel Dia.  
MD3220HD-W 900W  $\phi$  200mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3220HD-W	230V-50Hz	900W	2950min <sup>-1</sup>	$\phi$ 200x32x $\phi$ 32mm	--	--	27/29kg	596x320x310mm	20GP/457pcs 40GP/897pcs

**MD3215HD-W**

Model No. Power Wheel Dia.  
MD3215HD-W 520W  $\phi$  150mm




Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215HD-W	230V-50Hz	520W	2950min <sup>-1</sup>	$\phi$ 150x25x $\phi$ 32mm	--	--	15.5/17kg	550x261x254mm	20GP/740pcs 40GP/1454pcs



### MD3220HD-W

Model No. MD3220HD-W Power 900W Wheel Dia.  $\phi$  200mm



### MDB100/200HD

Model No. MDB100/200HD Power 900W Wheel Dia./Belt size  $\phi$  200mm/100x914mm



### MD150/50HD

Model No. MD150/50HD Power 520W Wheel Dia./Belt size  $\phi$  150mm/50x686mm



### MD150/200HD

Model No. MD150/200HD Power 520W Dry&Wet wheel Dia.  $\phi$  150mm/  $\phi$  200mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MDB100/200HD	230V-50Hz	900W	2950min <sup>-1</sup>	$\phi$ 200x32x $\phi$ 32mm	---	100x914mm	32/34kg	620x535x295mm	20GP-276pcs 40GP-542pcs
MD150/50HD	230V-50Hz	520W	2950min <sup>-1</sup>	$\phi$ 150x25x $\phi$ 32mm	---	50x686mm	16/18kg	488x455x275mm	20GP-442pcs 40GP-868pcs
MD150/200HD	230V-50Hz	520W	2950min <sup>-1</sup>	$\phi$ 150x25x $\phi$ 32mm	$\phi$ 200x40x $\phi$ 20mm	---	17.5/19.5kg	555x285x325mm	20GP-525pcs 40GP-1031pcs



### MD3215R

Model No. Power Wheel Dia.  
MD3215R 250W  $\Phi$  150mm

Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215R	230V-50Hz	250W	2950min <sup>-1</sup>	$\Phi$ 150x20x $\Phi$ 12.7mm	--	--	12/13kg	400x200x255mm	20GP/1400pcs 40GP/1900pcs



### MD3215RL

Model No. Power Dry&Wet wheel Dia.  
MD3215RL 250W  $\Phi$  150mm


Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215RL	230V-50Hz	370W	2950min <sup>-1</sup>	$\Phi$ 150x20x $\Phi$ 12.7mm	--	--	12.5/13.8kg	400x290x260mm	20GP/670 pcs 40GP/1700 pcs



### BG3215J

Model No. Power Wheel Dia.  
BG3215J 150W  $\Phi$  150mm

Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
BG3215J	100V-50/60Hz	150W	2950min <sup>-1</sup>	$\Phi$ 150x20x $\Phi$ 12.7mm	--	--	6.6/7.2kg	485x335x350mm	20GP/475pcs 40GP/932pcs



### MBG3215J

Model No. Power Wheel Dia.  
MBG3215J 150W  $\phi$  150mm

Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MBG3215J	100V-50/60Hz	150W	2950min <sup>-1</sup>	$\phi$ 150x6.4x $\phi$ 127mm	--	--	6.6/7.2kg	485x335x350mm	20GP/475pcs 40GP/932pcs

### MD3212J / MD3215J

Model No. Power Wheel Dia.  
MD3212J 120W/150W  $\phi$  125mm  
MD3215J 200W  $\phi$  150mm



### MD150/150JQ / MD150/200JQ

Model No. Power Dry&Wet wheel Dia.  
MD150/150JQ 200W  $\phi$  150mm/  $\phi$  150mm  
MD150/200JQ 250W  $\phi$  150mm/  $\phi$  200mm



### MD150/50J

Model No. Power Wheel Dia./Belt size  
MD150/50J 250W  $\phi$  150mm/50x686mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3212J	230V-50Hz	120W 150W	2950min <sup>-1</sup>	$\phi$ 125x16x $\phi$ 127mm	--	--	6.5/7.5kg	320x230x230mm	20GP/1600pcs 40GP/3100pcs
MD3215J	230V-50Hz	200W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 127mm	--	--	7.0/8.0kg	320x230x230mm	20GP/1600pcs 40GP/3120pcs
MD150/150JQ	230V-50Hz	200W	2950min <sup>-1</sup> 134min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 127mm	$\phi$ 150x40x $\phi$ 20mm	--	8.0/9.5kg	425x265x290mm	20GP/830pcs 40GP/1620pcs
MD150/200JQ	230V-50Hz	250W	2950min <sup>-1</sup> 134min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 127mm	$\phi$ 200x40x $\phi$ 20mm	--	9.0/10.5kg	425x265x290mm	20GP/830pcs 40GP/1620pcs
MD150/50J	230V-50Hz	200W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 127mm	--	50x686mm	8.0/9.0kg	410x325x230mm	20GP/880pcs 40GP/1730pcs

### MD3212F / MD3215SF

Model No. Power Wheel Dia.  
 MD3212F 150W  $\phi$  125mm  
 MD3215SF 150W  $\phi$  150mm



### MD3215F / MD3217F MD3220F

Model No. Power Wheel Dia.  
 MD3215F 250W  $\phi$  150mm  
 MD3217F 350W  $\phi$  175mm  
 MD3220F 350W  $\phi$  200mm



### MD3215FB

Model No. Power Wheel Dia.  
 MD3215FB 250W  $\phi$  150mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3212F	230V-50Hz	150W	2950min <sup>-1</sup>	$\downarrow$ 125x16x $\downarrow$ 12.7mm	--	--	4/4.5kg	285x180x205mm	20GP/2567pcs 40GP/4800pcs
MD3215SF	230V-50Hz	150W	2950min <sup>-1</sup>	$\downarrow$ 150x16x $\downarrow$ 12.7mm	--	--	5/5.5kg	295x200x210mm	20GP/2180pcs 40GP/4280pcs
MD3215F	230V-50Hz	250W	2950min <sup>-1</sup>	$\downarrow$ 150x20x $\downarrow$ 12.7mm	--	--	6.7/7.5kg	335x200x225mm	20GP/1791pcs 40GP/3518pcs
MD3217F	230V-50Hz	350W	2950min <sup>-1</sup>	$\downarrow$ 175x20x $\downarrow$ 15mm	--	--	9.3/9kg	358x242x280mm	20GP/1115pcs 40GP/2185pcs
MD3220F	230V-50Hz	350W	2950min <sup>-1</sup>	$\downarrow$ 200x20x $\downarrow$ 15mm	--	--	9.5/10.5kg	372x265x285mm	20GP/961pcs 40GP/1888pcs
MD3215FB	230V-50Hz	250W	2950min <sup>-1</sup>	$\downarrow$ 150x20x $\downarrow$ 12.7mm	$\downarrow$ 150x40x $\downarrow$ 12.7mm	--	8.5/9.5kg	355x200x225mm	20GP/1690pcs 40GP/3318pcs

### MD3212MY / MD3215MY

Model No. Power Wheel Dia.  
 MD3212MY 120W/150W  $\phi$  125mm  
 MD3215MY 120W/150W  $\phi$  150mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3212MY	230V-50Hz	120W 150W	2950min <sup>-1</sup>	$\phi$ 125x16x $\phi$ 12.7mm	--	--	4/4.5kg	285x185x205mm	20GP/2500pcs 40GP/5040pcs
MD3215MY	230V-50Hz	120W 150W	2950min <sup>-1</sup>	$\phi$ 150x16x $\phi$ 12.7mm	--	--	5/5.4kg	295x205x205mm	20GP/2232pcs 40GP/4382pcs



### MD3215CY / MD3215AY / MD3220AY

Model No.	Power	Wheel Dia.
MD3215CY	200W	φ 150mm
MD3215AY	250W	φ 150mm
MD3220AY	350W	φ 200mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215CY	230V-50Hz	200W	2950min <sup>-1</sup>	φ150x20xφ12.7mm	--	--	8.5/9.5kg	338x205x240mm	20GP/1620pcs 40GP/2600pcs
MD3215AY	230V-50Hz	250W	2950min <sup>-1</sup>	φ150x20xφ12.7mm	--	--	10.5/11.5kg	405x210x255mm	20GP/1180pcs 40GP/2300pcs
MD3220AY	230V-50Hz	350W	2950min <sup>-1</sup>	φ200x20xφ16mm	--	--	11/12kg	425x265x285mm	20GP/820pcs 40GP/1500pcs

### MD150/200Q

Model No.	Power	Dry&Wet wheel Dia.
MD150/200Q	250W	φ 150/ φ 200mm



### MD3215F-W

Model No.	Power	Wheel Dia.
MD3215F-W	250W	φ 150mm



### MD150/50F

Model No.	Power	Wheel Dia./Belt size
MD150/50F	250W	φ 150mm/50x686mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD150/200Q	230V-50Hz	250W	2950min <sup>-1</sup> 134min <sup>-1</sup>	φ 150x20x φ 12.7mm	φ 200x40x φ 20mm	--	8.5/9.5kg	420x265x260mm	20GP/933pcs 40GP/1831pcs
MD3215F-W	230V-50Hz	250W	2950min <sup>-1</sup>	φ 150x20x φ 12.7mm	--	--	8/9kg	425x205x230mm	20GP/1384pcs 40GP/2645pcs
MD150/50F	230V-50Hz	250W	2950min <sup>-1</sup>	φ 150x20x φ 12.7mm	--	50x686mm	7/8kg	410x340x215mm	20GP/900pcs 40GP/1768pcs

**PBG-150**  
**PBG-150A**

Model No. Power Wheel Dia.  
PBG-150 250W  $\phi$  150mm  
PBG-150A 350W  $\phi$  150mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
PBG-150	230V-50Hz	250W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	--	8.5/10kg	405x255x305mm	20GP/860pcs 40GP/1690pcs
PBG-150A	230V-50Hz	350W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	--	9/10.5kg	405x255x305mm	20GP/860pcs 40GP/1690pcs



**PBG-150L**  
**PBG-150AL**

Model No. Power Wheel Dia.  
PBG-150L 250W  $\phi$  150mm  
PBG-150AL 350W  $\phi$  150mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
PBG-150L	230V-50Hz	250W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	--	8.5/10kg	405x255x305mm	20GP/860pcs 40GP/1690pcs
PBG-150AL	230V-50Hz	350W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	--	9/10.5kg	405x255x305mm	20GP/860pcs 40GP/1690pcs

**PBG150/50**  
**PBG150/50A**

Model No. Power Wheel Dia./Belt size  
PBG150/50 250W  $\phi$  150mm/50X686mm  
PBG150/50A 350W  $\phi$  150mm/50X686mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
PBG150/50	230V-50Hz	250W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	50x686mm	8.5/9.5kg	465x415x295mm	20GP/475pcs 40GP/931pcs
PBG150/50A	230V-50Hz	350W	2950min <sup>-1</sup>	$\phi$ 150x20x $\phi$ 12.7mm	--	50x686mm	9/10kg	465x415x295mm	20GP/475pcs 40GP/931pcs



### MD3212MY / MD3215MY

Model No. Power Wheel Dia.  
 MD3212MY 120W/150W  $\Phi$  125mm  
 MD3215MY 120W/150W  $\Phi$  150mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3212MY	230V-50Hz	120W 150W	2950min <sup>-1</sup>	$\Phi$ 125x16x $\Phi$ 12.7mm	--	--	4/4.5kg	285x185x205mm	20GP/2500pcs 40GP/5040pcs
MD3215MY	230V-50Hz	120W 150W	2950min <sup>-1</sup>	$\Phi$ 150x16x $\Phi$ 12.7mm	--	--	5/5.4kg	295x205x205mm	20GP/2232pcs 40GP/4382pcs



### MD3215CY / MD3215AY / MD3220AY

Model No. Power Wheel Dia.  
 MD3215CY 200W  $\Phi$  150mm  
 MD3215AY 250W  $\Phi$  150mm  
 MD3220AY 350W  $\Phi$  200mm



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215CY	230V-50Hz	200W	2950min <sup>-1</sup>	$\Phi$ 150x20x $\Phi$ 12.7mm	--	--	8.5/9.5kg	338x205x240mm	20GP/1620pcs 40GP/2600pcs
MD3215AY	230V-50Hz	250W	2950min <sup>-1</sup>	$\Phi$ 150x20x $\Phi$ 12.7mm	--	--	10.5/11.5kg	405x210x255mm	20GP/1180pcs 40GP/2300pcs
MD3220AY	230V-50Hz	350W	2950min <sup>-1</sup>	$\Phi$ 200x20x $\Phi$ 16mm	--	--	11/12kg	425x265x285mm	20GP/820pcs 40GP/1500pcs

### MD3215BY

Model No. Power Wheel Dia.  
 MD3215BY 200W  $\Phi$  150



Model No.	Voltage	Input power	No-load speed	Wheel Size	Wet Wheel Size	Belt Size	N.W./G.W.	Packing Size	Container
MD3215BY	230V-50Hz	200W	2950min <sup>-1</sup>	$\Phi$ 150x40x $\Phi$ 12.7mm	$\Phi$ 150x40x $\Phi$ 12.7mm	--	8.5/9.5kg	350x205x240mm	20GP/1500pcs 40GP/2100pcs

